

ADDENDUM 1

22^{nd} March, 2021

TENDER NO.NRFA/ORD/023/2021 : FOR THE SUPPLY AND DELIVERY OF LAPTOPS

ALL BIDDERS

Kindly take note of the following clarifications:

1. The tender was divided in 2 Lots as follows:

No	Description	Quantity	Delivery Schedule	
	Lot 1			
1	Supply and Delivery of Laptops	21	4 - 8 weeks	
The quantity for Laptops is Twenty One (21) and not Nineeteen (19)				
	Lot 2			
1	Supply and delivery of Three (3) in 1 Printers	2	4 - 8 weeks	
2	Supply and delivery of Telephone Extension	1	4 - 8 weeks	
Specifications for Printers and telephone extension have been attached				

- 2. Bidders are expected to bid for full quantities in a Lot in order to be considered responsive. Bidders not bidding for the full quantities shall be deemed non responsive and their bids shall be rejected.
- 3. The closing date for bid submission is Friday 16th April 2021 at 10:00hrs local time.
- 4. All other instructions and conditions remain the same.

5. Below are the specifications for Printers and Telephone extensions:

LOT 2 : SPECIFICATIONS FOR PRINTERS AND EXTENSION CABLES

No	ITEM	QTY
1	i. Make: Panasonic or equivalent	01
	ii. Model: KX-TDA0174	
	iii. Ports: 16 Port Single Line Extension Card	
2	Amphenol Cable	01 Meter
3	UTP Cable	01 Roll
4	Telephone wall Jack	02
5	Telephone Line cable	2 meters
6	Telephone handset Panasonic KX-TS880	01
7	Installation of Telephone expansion card and handset	N/A

TELEPHONE EXTENSION SPECIFICATIONS

NB: A specific expansion card has been specified as it the card that is compatible with the Panasonic KX-TDA200 PBX currently in use for the NRFA Telephone Extension System.

3 IN 1 PRINTER SPECIFICATIONS

Г

Device features		
Recommended Monthly Print Volume	750 - 4,000 pages per month	
Duty cycle	Max. 80,000 pages per month	
Processor Speed	800MHz x 2	
Memory	At least 1GB	
Control Panel	12.7 cm LCD Colour Touch Screen	
Weight	At most 17.5 Kg	
Operating Environment	Temperature: 10 to 30°C (50 to 86°F) Humidity: 20 to 80% RH (no condensation)	
Power Source	220-240V(±10%) 50/60Hz (±2Hz)	
Power Consumption	Maximum: Approx. 1,300 W Standby: Approx. 10 W Sleep mode: Approx. 0.9 W Typical Electricity Consumption (TEC): 1.2 kWh/week (230V)	
Printer		
Print speed	Single sided : Up to 38 ppm (A4); Up to 63.1 ppm (A5-Landscape) Double sided : Up to 30.3 ipm (A4)	
Printing method	Monochrome laser beam printing	
Print quality	Up to 1200 x 1200 dpi	
Print Resolution	600 x 600 dpi	
Warm-up Time	Approx. 14 seconds or less from power on	
First Print Out Time	Approx: 5.5 seconds or less	
Printer languages	UFRII, PCL 5e2, PCL6, Adobe® PostScript	
Fonts	45 PCL fonts 136 PostScript fonts	
Print margins	5 mm-top, bottom, left and right 10 mm-top, bottom, left and right (Envelope)	
Toner saver mode	Yes	

Advanced printing features	Secure Print		
	Print from USB memory key (JPEG/TIFF/PDF)		
	Google Cloud Print Ready		
	iOS: AirPrint, Canon PRINT Business app		
	Android; Mopria certified, Canon PRINT		
	Business app		
Copier			
Copy Speed	Single sided (A4): Up to 38 ppm Double sided (A4): Up to 30.3 ipm		
First Copy Output Time (FCOT)	ADF (A4): Approx. 6.6 seconds or less		
	Platen (A4): Approx. 6.4 seconds or less]		
Copy resolution	Up to 600 x 600 dpi		
Copy modes	Text, Text/Photo (Default),Text/Photo (High		
	Quality), Photo		
Double sided copying	2-sided to 2-sided (Automatic)		
Multiple Copy	Up to 999 copies		
Reduction/Enlargement	25-400% in 1% increments		
Scanner			
Туре	Colour		
Scan Resolution	Optical: Up to 600 x 600 dpi		
	Enhanced: Up to 9600 x 9600 dpi		
Scan speed	Single sided mono: 38ipm (300x600dpi)		
	Single sided colour: 13ipm (300x600dpi)		
	Double sided mono: 70ipm (300x600dpi) Double sided colour: 26ipm (300x600dpi)		
	Double sided colour. 201pin (500x000dpi)		
Colour scanning depth	24 bit/24 bit (input/output)		
Greyscales	256 levels		
Compatibility	TWAIN , WIA, ICA		
Max. scan width	216mm		
Scan to E-mail / PC / USB memory key / FTP	TIFF/JPEG/PDF/Compact PDF/Searchable PDF		
Scan to Cloud	TIFF/JPEG/PDF/PNG		

Media handling	
Scanner Type	Platen, 2-sided ADF (single pass)
Paper input (Standard)	250-sheet cassette
	100-sheet multi-purpose tray
	50-sheet ADF
Paper input (Option)	550-sheet cassette
Paper output	150-sheet
Media types	Plain paper, Recycled paper, Heavy Paper, Thin paper, Label, Post card, Envelope
Media sizes	Cassette (Standard and optional): A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Custom sizes: Min. 105 x 148 mm Max. 215.9 x 355.6 mm. Multi-purpose tray: A4, A5, A5 (Landscape), A6, B5, Legal, Letter,
	Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Indexcard, Envelope (COM10, Monarch, C5, DL), Custom sizes: Min 76.2 x 127 mm Max. 215.9 x 355.6 mm.
	ADF: A4, A5, A6, B5, Legal, Letter, Statement, Custom sizes: Min. 105 x 128 mm Max 215.9 x 355.6 mm
Media weights	Cassette (standard and optional): 52 to 120 g/m ² Manual purpose tray: 52 to 163 g/m ² ADF: 50 to 105 g/m ²
Double Sided Printing	A4, Legal, Letter, OFFICIO, B-OFFICIO, M- OFFICIO, GLGL, Foolscap Custom size - Min. 210 x 279.4 mm Max. 215.9 x 355.6 mm 60 to 120 g/m2
Interface & Software	
Interface type	USB 2.0 Hi-Speed, 10BASE-T/100BASE- TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection
Operating Systems Compatibility	Windows® 10 / Windows® 8.1 / Windows® 7 /

	Server® 2016 / Server® 2012R2 / Server® 2012 / Server® 2008R2 / Server® 2008 Mac OS X version 10.8.5 & up Linux ⁸
Network protocols	TCP/IP Application Services: Bonjour(mDNS), HTTP, HTTPS, POP before SMTP (IPv4,IPv6) DHCP, ARP+PING, Auto IP, WINS (IPv4) DHCPv6 (IPv6)
	Management: SNMPv1, SNMPv3 (IPv4,IPv6)
	Security (wired): IP/Mac address filtering, IEEE802.1X, SNMPv3, SSL (HTTPS, IPPS)
	Security (wireless): WEP(64/128 bit), WPA-PSK(TKIP/AES), WPA2-PSK(AES)
Software and printer management	MF Scan Utility, Remote User Interface (RUI), Department ID Management, Toner Status Tool, iW Management Console: Server-based software for centralised management of a fleet of devices eMaintenance: embedded RDS allows remote eMaintenance services such as meter capture, automatic consumables management and remote diagnostics.

K.Nkhoma Manager Procurement NATIONAL ROAD FUND AGENCY